



RED GREASE

DESCRIPTION

RED GREASE is an all purpose non-melt grease especially formulated with extreme pressure and anti-wear additives to provide heavy duty service. It is one of very few greases able to withstand heavy shock load and impact pressures of 65 Timken load capabilities. This product has excellent adhesive and cohesive properties. It resists most acids, weather, dirt, salts spray, steam and oxidation. Our product protects equipment indoors or outdoors even under high temperatures and heavy loads.

USER BENEFITS

1. Exceptional resistance to acids, water, salt-spray, weather, dirt, dust, steam and oxidation.
2. Exceptional adhesive-cohesive and anti wear properties.
3. Gives Extra "cushioning" that reduces shock and noise.
4. Performs at a wide variety of temperatures up to 550°F.
5. Excellent outdoor resistance, extreme pressure and high heat resistance. Water resistant too.
6. High Shock and impact resistance. No pound out or thin out.
7. Seals out dust-dirt-contaminants, prolongs life of metal parts.
8. Contains special corrosion and rust inhibitors.
9. Excellent load carrying capacity - 65 timken load.

USES

Automotive
Cotton Gins
Paper Mills
Oil Fields
Elevators
Mining
Cement Plants

Farms
Sugar Cane Mills
Industrial
Steel Mills
Textile Plants
Aircraft
Food Plants

Bottling Plants
Dairies
Marine
Air Conditioning
Construction
Lumber Mills
Sewage Plants

DIRECTIONS:

PUMP IN RED GREASE UNTIL ALL OLD GREASE COMES OUT.

Not a hazardous substance or mixture.

PRT-1830-2 DECO: 1042071-1 03/15

Supplemental Information:

DISPOSAL AND/OR SPILL INFORMATION: As with all cleaning and maintenance procedures, run-off from the cleaning or maintenance process should be diverted to a collection vessel, and not allowed to soak into the ground or to enter a storm sewer. If this product is spilled or contaminated and cannot be used, creating the need for disposal, absorb product on an inert absorbent material, and deposit in a clean container for disposal as a hazardous waste. Thoroughly clean area with a detergent solution and rinse area well with water. **STORAGE:** Keep container tightly closed when not in use to decrease evaporation of volatile solvents. Keep this product away from food and food products. Exposure of this product to heat, flame, or electric arcs can generate toxic and corrosive vapors. Store container in dry area at temperatures between 40°F (4°C) and 120° F (49°C).

**KEEP OUT OF REACH OF CHILDREN
FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY
NOT FOR HOUSEHOLD USE OR RESALE**

**FOR ADDITIONAL INFORMATION REFERENCE THE
PRODUCT SAFETY DATA SHEET (SDS).**

NET WT. 14 OZ. (397 grams)

SOLD BY:



1375 Thomas G. Wilson Drive
Conway, AR 72032
(501) 329-6965 (800) 282-2133